

Name: Vincent Ho | DOB: 11/6/1968 | MRN: 13854146 | PCP: Luke Raudaskoski, DO | Legal Name: Vincent Ho

CBC W/ AUTO DIFFERENTIAL - Details

Component Results

Component	Your Value	Standard Range	Flag
WBC	Your Value 2.9 10 ³ /mcL	Standard Range 4.5 - 11.5 10 ³ /mcL	Flag L
RBC	Your Value 4.18 10 ⁶ /mcL	Standard Range 4.60 - 6.00 10 ⁶ /mcL	Flag L
Hemoglobin	Your Value 12.9 g/dL	Standard Range 14.0 - 18.0 g/dL	Flag L
Adult Female: 12.0-15.0 g/dL; Adult Male: 14.0-18.0 g/dL			
Hematocrit	Your Value 39.9 %	Standard Range 40.0 - 54.0 %	Flag L
Adult Female: 35.0-49.0 %; Adult Male: 40.0-54.0 %			
MCV	Your Value 95.5 fL	Standard Range 80.0 - 100.0 fL	
MCH	Your Value 31.0 pg	Standard Range 26.0 - 32.0 pg	
MCHC	Your Value 32.5 g/dL	Standard Range 32.0 - 36.0 g/dL	
RDW	Your Value 12.1 %	Standard Range 11.5 - 14.5 %	
Platelet Count	Your Value 175 10 ³ /mcL	Standard Range 150 - 450 10 ³ /mcL	
Mean Platelet Volume	Your Value 8.1 fL	Standard Range 7.4 - 10.4 fL	

Component	Your Value	Standard Range	Flag
Neutrophil Auto %	Your Value 55.0 %	<i>Standard Range</i> 50.0 - 70.0 %	
Lymphocyte Auto %	Your Value 39.4 %	<i>Standard Range</i> 18.0 - 42.0 %	
Monocyte Auto %	Your Value 3.9 %	<i>Standard Range</i> 2.0 - 11.0 %	
Eosinophil Auto %	Your Value 0.6 %	<i>Standard Range</i> 1.0 - 3.0 %	Flag L
Basophil Auto %	Your Value 1.1 %	<i>Standard Range</i> 0.0 - 2.0 %	
Neutrophil #	Your Value 1.61 10 ³ /mCL	<i>Standard Range</i> 2.30 - 8.10 10 ³ /mCL	Flag L
Lymphocyte #	Your Value 1.15 10 ³ /mCL	<i>Standard Range</i> 0.80 - 4.80 10 ³ /mCL	
Monocyte #	Your Value 0.11 10 ³ /mCL	<i>Standard Range</i> 0.50 - 1.30 10 ³ /mCL	Flag L
Eosinophil #	Your Value 0.02 10 ³ /mCL	<i>Standard Range</i> 0.00 - 0.45 10 ³ /mCL	
basophil #	Your Value 0.03 10 ³ /mCL	<i>Standard Range</i> 0.00 - 0.10 10 ³ /mCL	
Diff Review	Your Value AUTODIFF ACCEPTED		

General Information

Ordered by Ammara T Gill

Collected on 09/18/2023 3:57 PM from Blood, Venous (Blood)

Resulted on 09/18/2023 4:25 PM

Result Status: Final result

This test result has been released by an automatic process.

MyChart® licensed from Epic Systems Corporation © 1999 - 2023